

CAR CARE PRODUCTS CATALOGUE

NINGBO ANSIAUTO IND CO.,LTD.



The car care products chosen by professionals and global top-brands!

CONTENTS

TOOLS

Electric polishers02

Sanders05

Pneumatic cleaning guns06

Power spray snow foam cannons...07

EQUIPMENT

Car-wash equipment.....08

Blowers10

Vacuum cleaners11

Other cleaning equipment.....12

CONSUMABLES

Brushes13

Towels14

Washing mittens15

Polisher Pads16

Sponges17

Sandpapers18

Others19

ACCESSORIES

Car-wash accessories.....20

Moving stools.....21

Working lights22

Tool bags23

Interlocking floor grilles24

Electric polishers



15mm DA polisher J0599

- Specifications and Details:
- 1)Voltage: 110V/220V
 - 2)Power: 900W
 - 3)No-load Speed: 1700-5200rpm
 - 4)Orbit: 15mm
 - 5)Backing Pad: 5"
 - 6)Switch: trigger with lock-on button
 - 7)Speed setting: 6



Rotary polisher J05100

- Specifications and Details:
- 1)Voltage: 110V/220V
 - 2)Power: 1200W
 - 3)No-load Speed: 600-3000rpm
 - 4)Backing Pad: 5"/6"/7"
 - 5)Backing pad thread: M14
 - 6)Switch: trigger with lock-on button
 - 7)Speed setting: 6



Cordless Polisher J05113

- Specifications and Details:
- 1)Voltage: 18V
 - 2)Power: 400W
 - 3)Battery: 18V, 3.0 Ah
 - 4)No-load Speed: 2300-4500rpm
 - 5)Orbit: 15mm
 - 6)Backing Pad: 6"
 - 7)Switch: trigger with lock-on button
 - 8)Speed setting: 6



DA Polisher J0588-1

- Specifications and Details:
- 1)Voltage: 230V
 - 2)Power: 700W
 - 3)No-load Speed: 1200-4200rpm
 - 4)Orbit: 8mm
 - 5)Backing Pad: 5"
 - 6)Switch: toggle
 - 7)Speed setting: 6



DA Polisher J05102

- Specifications and Details:
- 1)Voltage: 110V/230V
 - 2)Power: 800W
 - 3)No-load Speed: 1800-5500rpm
 - 4)Orbit: 8mm
 - 5)Backing Pad: 5"
 - 6)Switch: auto-lock-on slide
 - 7)Speed setting: 6



Big throw DA Polisher J0560

- Specifications and Details:
- 1)Voltage: 110V/230V
 - 2)Power: 900W
 - 3)No-load Speed: 1800-4200rpm
 - 4)Orbit: 21mm
 - 5)Backing Pad: 6"
 - 6)Switch: trigger with lock-on button
 - 7)Speed setting: 6

Electric polishers



Rotary polisher	J0540B
Specifications and Details:	
1)Voltage: 110V/230V	
2)Power: 900W	
3)No-load Speed: 600-2400rpm	
4)Backing pad thread: M14(5/8")	
5)Backing Pad: 5"	
6)Switch: trigger with lock-on button	
7)Speed setting: 6	



Rotary polisher	J0540D
Specifications and Details:	
1)Voltage: 110V/230V	
2)Power: 1200W	
3)No-load Speed: 300-1800rpm	
4)Backing pad thread: M14(5/8")	
5)Backing Pad: 5"/6"/7"/8"	
6)Switch: trigger with lock-on button	
7)Speed setting: 6	



Polisher	AA0135
Specifications and Details:	
1)Voltage: 220V	
2)Power: 900W	
3)No-load Speed: 600-2000rpm	
4)Backing pad thread: M14	
5)Backing Pad: 6"	
6)Switch: trigger with lock-on button	
7)Speed setting: 5	



Car Polisher	J06200
Specifications and Details:	
1)Voltage: 12V	
2)Battery: 12V, 2.0Ah	
3)No-load Speed: 2000-3600rpm	
4)Orbit: 8mm	
5)Backing Pad: 6"	
6)Switch: rocker	
7)Speed setting: 6	




Brushless polishing machine	J05110
Specifications and Details:	
1)Voltage: 12V	
2)Battery: 12V, 2.5/5.0Ah	
3)No-load Speed: 4000-7000rpm	
4)Orbit: 12mm	
5)Backing Pad: 3"	
6)Switch: variable speed trigger	
7)Speed setting: 4	



Cordless Polisher	J05109
Specifications and Details:	
1)Voltage: 18V	
2)Power: 400W	
3)Battery: 18V, 2.0 Ah	
4)No-load Speed: 2300-4500rpm	
5)Orbit: 15mm	
6)Backing Pad: 6"	
7)Switch: trigger with lock-on button	
8)Speed setting: 6	

Electric polishers



Orbit: 12mm

Mini DA polisher J06595


- Specifications and Details:
- 1)Voltage: 110V/230V
 - 2)Power: 800W
 - 3)No-load Speed: 1700-4800rpm
 - 4)Orbit: 12mm
 - 5)Backing Pad: 3"
 - 6)Switch: auto-lock-on slide
 - 7)Speed setting: 6



1"/2"/3"

Mini Rotary Polisher J0595B

- Specifications and Details:
- 1)Voltage: 110V/230V
 - 2)Power: 710W
 - 3)No-load Speed: 800-2700rpm
 - 4)Backing pad thread: M14
 - 5)Backing Pad: 1"/2"/3"
 - 6)Switch: auto-lock-on slide
 - 7)Speed setting: 6



Orbit: 3mm/6mm

Brushless Cordless mini polisher J05105

- Specifications and Details:
- 1)Voltage: 12V
 - 2)Battery: 12V, 2.5Ah
 - 3)No-load Speed: 2000-4500rpm
 - 4)Orbit: 3mm/6mm
 - 5)Backing Pad: 2"
 - 6)Switch: dome tactile
 - 7)Speed setting: 6



Flexible shaft sponge sleeve G-C01

- Specifications and Details:
- 1)1 polisher, 1 M14 adapter, 2 polishing discs (1" and 2"), 12 sponge discs (6 thick and medium fine each of 1" and 2"), 6 oval sponge rods, 2 long wool discs, 2 medium wool discs, 2 fiber discs, 4 short wool discs.

Sanders



This one has 2 switches
● fast/efficient/dust-free/
brushless motor

Plate sander SD001

Specifications and Details:	
1)Voltage:	120V/230V
2)Power:	250W
3)No-load Speed:	5000-10000rpm
4)Orbit:	3mm
5)Backing Pad:	198×70mm
6)Switch:	on-off dome tactile switch & lever switch for operation
7)Speed setting:	6



This one has 2 switches
● brushless motor

Brushless Electric Sander J05101

Specifications and Details:	
1)Voltage:	230V
2)Power:	350W
3)No-load Speed:	4000-10000rpm
4)Orbit:	5mm
5)Backing Pad:	5"/6"
6)Switch:	on-off dome tactile switch & lever switch for operation
7)Speed setting:	6



● Pneumatic

Triangle pneumatic polishing machine AB0017

Specifications and Details:	
1)Inlet port:	1/4"
2)Exhaust mode:	rear exhaust
3)No-load Speed:	10000rpm
4)Air pipe inner diameter:	8mm
5)Backing Pad:	90 × 130mm
6)Switch:	lever switch for operation



● Pneumatic

Air sander J0574

Specifications and Details:	
1)Inlet port:	1/4"
2)Working Pressure:	90psi/6.3bar
3)No-load Speed:	10000rpm
4)Orbit:	2.5mm
5)Backing Pad:	5"
6)Switch:	lever switch for operation



● Pneumatic

Air sander J0575

Specifications and Details:	
1)Inlet port:	1/4"
2)Working Pressure:	90psi/6.3bar
3)No-load Speed:	10000rpm
4)Orbit:	2.8mm
5)Backing Pad:	/6"
6)Switch:	lever switch for operation



● Pneumatic

Pneumatic square sanding machine AB0012

Specifications and Details:	
1)Inlet port:	1/4"
2)Working Pressure:	90psi/6.3bar
3)No-load Speed:	10000rpm
4)Orbit:	1.5mm
5)Backing Pad:	78 × 100mm
6)Switch:	lever switch for operation

Pneumatic cleaning guns



Interior tornado gun LG0001

Specifications and Details:

- 1)Capacity: 1000ml
- 2)Material: aluminum alloy ABS
- 3)working pressure: 8bar



Ceiling cleaning gun LG0002

Specifications and Details:

- 1)Capacity: 100ml
- 2)Tube length: 1mm
- 3)Nozzle diameter: 10.8mm
- 4)Weight: 0.3kg
- 5)Working pressure: 8bar



Universal tornado gun LG0003

Specifications and Details:

- 1)Capacity: 1000ml
- 2)Material: alloy
- 3)Water pressure: 0.8
- 4)Weight: 0.72kg
- 5)Working pressure: 8bar



Extended engine cleaning gun LG0004

Specifications and Details:

- 1)Product size: 560×180mm
- 2)Weight: 0.6KG
- 3)Working pressure: 8bar
- 4)Length of water pipe: 2.5m



Coating and polishing gun LG0005

Specifications and Details:

- 1)Capacity: 90ml
- 2)Overall size: 280mm
- 3)Material: alloy + plastic
- 4)Working pressure: 8bar



Interior dust gun LG0006

Specifications and Details:

- 1)Product size: 140×260CM
- 2)working pressure: 8bar



Dust blowing air gun LG0007

Specifications and Details:

- 1)Product size: 18×7.5CM
- 2)Weight:0.2kg
- 3)Made of plastic steel
- 4)Working pressure: 8bar

Power spray snow foam cannons



Multi-purpose watering canBW0003

Specifications and Details:
1)Size: 12.5 × 25 × 34 CM
2)Capacity: 2L
3)Material: PP



Multi-purpose watering canBW0004

Specifications and Details:
1)Size: 13 × 20 × 35 CM
2)Capacity: 2L
3)Material: PP + PE



Foam watering canBW0009

Specifications and Details:
1)Size: 9.5 × 17 × 18 CM
2)Capacity: 1000ml
3)Material: PP + copper



Foam watering canBW0010

Specifications and Details:
1)Size: 8 × 17 × 19 CM
2)Capacity: 1000ml
3)Material: PP + copper



Foam watering canBW0011

Specifications and Details:
1)Size: 9 × 20.5 × 22 CM
2)Capacity: 750ml
3)Material: plastic + nylon

Car-wash equipment



High pressure cleaning machine	BA0113
Specifications and Details:	
1)Power: 1800W	
2)Current: 13A	
3)Actual pressure: 105 ± 5bar	
4)Actual flow: 4.4 ± 0.4L/min	
5)Metal handle + reel	
6)10.67M power, 6M hose, 1600/2300 PSI, 1.8GPM marked 2.6GPM, 0 °, 15 °, 25 °, 40 °	
7)10.67m power line with leakage protection, 6m PVC high-pressure pipe, AF02 foam kettle, AG04B gun handle, AG03 quick insertion gun handle, American metal connector. 4 nozzles	



High pressure cleaning machine	BA0115
Specifications and Details:	
1)Power: 2200W	
2)Current: 14A	
3)Actual pressure: 115 ± 5bar	
4)Actual flow: 4.4 ± 0.4L/min	
5)5 - series + reel	
6)10.67M power, 6M hose TPU, Rated 2000PSI, MAX2850 PSI, 1.8GPM marked 2.8GPM, 0 °, 15 °, 25 °, 40 °	
7)10.67m power line with leakage protection, 6m PVC high-pressure pipe, AF03 foam kettle, AG04B gun handle, AG03 quick plug gun handle, American metal connector. 4 nozzles	



High pressure cleaning machine	BA0116
Specifications and Details:	
1)Power: 2200W	
2)Current: 14A	
3)Actual pressure: 105 ± 5bar	
4)Actual flow: 4.8 ± 0.4L/min	
5)5 - series + reel	
6)10.67M power, 6M hose TPU, Rated 2000PSI, MAX2850 PSI, 1.8GPM marked 2.8GPM, 0 °, 15 °, 25 °, 40 °	
7)10.67m power line with leakage protection, 6m PVC high-pressure pipe, AF03 foam kettle, AG04B gun handle, AG03 quick plug gun handle, American metal connector. 4 nozzles	

What's In The Kit:



AG04B handle



AG03 quick insertion gun handle



AF02 foam kettle

is fit for BA0113



AF03 foam kettle

is fit for BA0115, BA0116



American metal connector



4 nozzles

Car-wash equipments



High pressure cleaning machine BA0110

Specifications and Details:
1)Voltage/Frequency: 220V/50HZ
2)Motor power/W: 2200
3)Rated Pressure(bar): 70
4)Max Pressure(bar): 100
5)Rated Flow(L/Min): 11
6)Max Flow(L/Min): 12.8
7)Motor speed(RPM): 2800



High pressure cleaning machine BA0111

Specifications and Details:
1)Voltage/Frequency: 220V/50HZ
2)Motor power/W: 2800
3)Rated Pressure(bar): 115-125
4)Max Pressure(bar): 150
5)Rated Flow(L/Min): 8.5-9.5
6)Max Flow(L/Min): 11
7)Motor speed(RPM): 1400



Car wash combination drum BJ0010

Specifications and Details:
1)Water drum: 10m
2)High-pressure water drum
3)Water vapor double tube foam drum: 8m
4)Air drum: 8×12×10m
5)None of the above carry guns
6)Air drum with air gun
7)Water drum with metal shower
8)Foam drum with foam gun
9)Electric drum with waterproof socket
10)Water vapor mixing drum with water vapor mixing gun
11)Copper interface steel self-locking device



Car wash combination drum BJ0011

Specifications and Details:
1)Water drum: specification 8×12×10 m material: polyether tube acid, alkali, and corrosion resistant
2)Air drum: specification: 8×12×10 m material : PU sandwiching tube
3)Electric drum: specification 2×1.5×10 m material rubber skin, national standard line
4)Water vapor dual tube drum(specification): gas: 6.5×10×10 m water: 8×12×10 m

Blowers



Blower	F70A-G
Specifications and Details:	
1)120V 60Hz, Problow	
2)Motor(W/HP): 1.34HP/ 1000W	
3)Current(amps) : 8.5Amps	
4)Air type: Without Heating	
5)Cord length: 10ft/ 3.0m, With 3-pin UL plug	
6)Color: Gray body + Yellow	
7)Package: Color box	
8)Accessories: 1 rubber hub	



Cordless Blower	BC0009-20V
Specifications and Details:	
1)Voltage: 20V	
2)Current: 13A	
3)Air speed: 18m/s	
4)Motor: DC Type,795 motor with axial flow fan	
5)Air Type: Without heating	
6)Color: Gray	
7)Accessories: one 4.0Ah battery, one charge, one rubber hub, one manual	
8)Package: Color box	



Mini Blower	BC0007
Specifications and Details:	
1)Input: 120V 60Hz	
2)Power: 500W	
3)Power cable: 3 - core AWG18 length 3m	
4)Note: Sample is improved according to customer's request.	



Electric blower	Q1B-DQ-23A
Specifications and Details:	
1)Voltage: 230V/120V	
2)Frequency: 50/60HZ	
3)Input power: 500w/4.3A	
4)No load speed: 0-12000r/min	
5)Air circulation rate: 2.3m/s	
6)Power cord: 0.75m × 0.75m × 2m	

Vacuum cleaners



Car vacuum cleanerEQP410

Specifications and Details:
1)Voltage: DC12V
2)Power: 84W
3)Current: 7A
4)Motor: 545
5)Suction: 5500Pa
6)Accessories: A female connector, a brush suction nozzle, a long tube suction nozzle, a hose (with two connectors, length 30mm), a small brush, a black cloth bag (no reflective strip)



Car vacuum cleaner four in one wireless model BD0018

Specifications and Details:
1)Color: Silver/Red/Yellow/Blue
2)Fan blade: aluminum fan blade
3)Haipa: Metal Haipa
4)Suction force: 6500PA
5)Voltage: 12V
6)Current: 8A
7)Size: 38 × 12 × 14.5cm
8)Net weight: 1045g
9)Gross weight: 1180g
10)Accessories: instruction manual, brush, long suction nozzle, extended hose, inflation tube, USB cable, emergency cable



Vacuum cleaner 2-in-1BD0029

Specifications and Details:
1)Voltage: DC12V
2)Power: 84W
3)Current: 7A
4)Motor: 545
5)Suction: 5500Pa
6)Vehicle wire: Wire diameter 0.5mm, length 5 meters
7)Accessories: A female connector, a brush suction nozzle, a long tube suction nozzle, a hose (with two connectors, length 30mm), a small brush, a black cloth bag (no reflective strip)



Bucket vacuum cleanerBD0026

Specifications and Details:
1)Wet and dry vacuum cleaner,Air blowing function,Cable storage position,Accessories storage position,Suction power adjust on handle, 60L stainless steel tank
2)Rated power: 2pcs motors,1200w each, total 2400w
3)20-240v, 50/60Hz
4)Vacuity: 18kpa
5)Noise: ≤84dBA
6)Accessories:1pc hepa filter,1pc spong filter,1pc big brush, 1pc assorted brush,2pcs steel tubes-50cm,1.5m flexible hose,3.5m power cable with VDE plug, 1pc water drain hole,1pc anti-static chain,Packed by 1pc/brown carton, without drop protector.



Cordless vacuum cleanerBD0028

Specifications and Details:
1)Product weight (including battery): 1.59 KG
2)Normal vacuum: mm8-15Kpa
3)Noise: <75dba
4)Maximum voltage: 21V
5)Rated voltage: 21V
6)Capacity: 10 L
7)Inlet length: 20cm
8)Charging time: 2-2.5 hours



Car vacuum cleanerBD0027

Specifications and Details:
1)acuum degree: first level 7000pa, second level 12000pa
2)Color: gray, blue
3)Material: ABS
4)Power: 75W
5)Current: 10A
6)Noise: 70dB
7)Accessories: USB/Type-C booster cable, long suction tube, long blowing nozzle, round mouth brush, flat mouth brush, vacuum accessories, others: equipped with safety hammer and portable blade.

Other cleaning equipments



Carpet cleaner BU0012

Specifications and Details:
1)Water suction motor power: 1300W
2)Vacuum suction: ≥ 18Kpa
3)Air flow rate: 42.5L/s
4)Rated voltage: 220V
5)Frequency: 50Hz
6)Waterproof grade: IPX4
7)Electrical insulation level 2
8)Power cord length: 10M
9)Noise: 75dB (A)
10)Size: 53 × 39.35 × 47cm
11)Weight: 14.56KG
12)Pressure: 0 - 4.6bars
13)Spray flow: 1-2L/min
14)Volume of clean water tank and sewage tank: 9/9
15)Hose length: 2.5M



Aromatherapy machine BU0017

Specifications and Details:
1)Noise: <35db
2)Power Supply: DC12V1A
3)Power: 8W
4)Capacity: 180ml
5)Fuel Consumption: 1.8ml/H



Steam cleaning machine BU0014

Specifications and Details:
1)Rated power: 1800W
2)Size: 36 × 28 × 27cm
3)weight: 3.5KG
4)Steam flow rate: 4.5kg/h
5)Voltage: 220V
6)Injection pressure: 3.5bar
7)Suction height: 3m
8)Temperature controller operating temperature: 200
9)Fuse operating temperature: 240
10)Water pump power: 20W



Electric drill cleaning brush set BU0016

Specifications and Details:
1)Material: PP
2)Four piece set with three brushes and one rod



Atomizing smoke disinfection machine BU0013

Specifications and Details:
1)Power: 900W
2)Size: 30 × 30 × 11cm
3)Net weight: 3KG
4)Switch: timed
5)Applicable area: 20 square meters
6)Voltage: 220V



Compressor BJ0013

Specifications and Details:
1)Power: 800W
2)Speed: 1590r/min
3)Displacement: 70L/min
4)Pressure up to 0.8Mpa

Brushes



Detail cleaning brush five setsBP0007

Specifications and Details:

- 1)Material: sharpened silk
- 2)Five pieces set



Interior details soft brushBP0035

Specifications and Details:

- 1)Short: 16 × 2.4 × 4.5cmLength: 23.5 × 3 × 4.5cm
- 2)Material: PP
- 3)Color: Black



Car detail brushBP0038

Specifications and Details:

- 1)Material: TPR rubber handle, nylon silk
- 2)Color: Red, blue



Big head hub brushBP0008

Specifications and Details:

- 1)Material: TPR+ fiber, brush up to 30mm, can rebound, can go deep into the gap to clean, so that the hub is cleaner
- 2)Color: red, blue



Horse hair interior cleaning brushBP0032

Specifications and Details:

- 1)Material: horsehair , Hard plastic handle
- 2)Color: Log color
- 3)Specification: 15 × 2.5cm



Multifunctional bamboo handle cleaning brushBP0033

Specifications and Details:

- 1)Size: 40 × 2 × 7cm
- 2)Material: mixed with pig hair
- 3)Weight: 60g



Car tire cleaning brushBP0036

Specifications and Details:

- 1)Length 210 × width 65mm, gross length 25mm
- 2)Material: PP+PE



Tire polishing brushBP0037

Specifications and Details:

- 1)Size: 280 × 70 × 30mm

Towels



Car wash towelBB0017

Specifications and Details:
1)Color: Red, blue, Brown, gray, green, purple
2)Size: 30×70CM
3)Weight: 85g



Car wash towelBB0016

Specifications and Details:
1)Weight: 340g
2)Size: 60×1600CM



Waffle towelBB0013

Specifications and Details:
1)Size: 40 × 40cm



Suede towelBB0024

Specifications and Details:
1)Size: 30 × 40cm
2)Material: Suede



Coral velvet towelBB0014


Specifications and Details:
1)Size: 40 × 40cm



Borderless crystal plated towelBB0015

Specifications and Details:
1)Size: 40 × 40cm

Washing mittens



Colour long hair coral sheathed car wiping gloves BR0003

- Specifications and Details:
- 1)Size: 18 × 28 cm
 - 2)Weight per gram: about 86 grams, connotation thickened sponge
 - 3)Color: blue, black, red



Double-sided coral velvet thumb gloves BR0001

- Specifications and Details:
- 1)Color: Grey + orange
 - 2)Size: 24 × 20cm
 - 3)Net weight: about 60g
 - 4)Material: coral velvet



Double-sided Chenille polishing gloves BR0002

- Specifications and Details:
- 1)Size: 26 × 19cm
 - 2)Net weight: about 126
 - 3)Color: sky blue, sapphire blue, green, orange, yellow, rose, pink
 - 4)Material: Chenille



Interior care gloves BR0007


- Specifications and Details:
- 1)Size: 12 × 11.5 × 1.5 cm



Black latex gloves BR0011

- Specifications and Details:
- 1)Length: 30cm/ 35cm/40cm
 - 2)Material: latex gloves


Polisher Pads



Foam pad (straight edge) AD0293

Specifications and Details:


1)Size: 6"
2)Material: sponge



Foam pad (straight edge) AD0289

Specifications and Details:


1)Size: 5"
2)Material: sponge



Foam pad (straight edge) AD0285

Specifications and Details:

1)Size: 3"
2)Material: sponge



Foam pad (hypotenuse) AD0256

Specifications and Details:

1)Size: 6"/5"/3"
2)Material: sponge



Fibre pad AD0257

Specifications and Details:

1)Size: 6"
2)Material: fibre

Sponges



8-shaped car wash sponge

BT0013

Specifications and Details:

1)Product size: 22 × 12 × 7 cm

2)Weight: 45g



Car wash sponge on three sides

BT0003

Specifications and Details:

1)Colour: orange + grey

2)Weight: about 45g

3)Size: 22 × 11 × 7 cm



Cleaning sponge

BT0010

Specifications and Details:

1)Size: 13 × 9 × 2.5 cm

2)Colour: white + grey



Honeycomb textured hand beat sponge


BT0007

Specifications and Details:

1)Size: 150 × 95 × 30mm

2)Weight: 19.4g

3)Color: Black, orange, blue, red




Nanometer sponge

BT0008

Specifications and Details:

1)Size: 100 × 30 × 70mm



Crystal coated sponge

BT0009

Specifications and Details:

1)Size: 8 × 4 × 2cm

Sandpapers




Polish and polish sandpaperAF0339

Specifications and Details:

1)Size: 91×226

2)Grit: P120/P150/P180/P240/P320/P400/P600/P800/P1000/P1200/P1500/P2000/P2500/P3000



Circular sanding paperAF0340

Specifications and Details:

1)Size: 6"

2)Grit: P400/P600/P800/P1000/P1200/P1500/P2000/P2500/P3000



Triangle sandpaperAF0341

Specifications and Details:

1)Size: 90×90

2)Grit: P40/P60/P80/P100/P120/P150/P180/P240/P320/P400



Clay bar

AG0015

Specifications and Details:

1)Weight: 200g



Masking tape

KB0001

Specifications and Details:

1)Size: 1.8cm × 18m (Box of 60 volumes)

Car-wash accessories



Tray washerBV0001

- Specifications and Details:
- 1)Appearance size: 40 × 33 × 28cm
 - 2)Net weight: 2158.2g
 - 3)Main material: PP + ABS
 - 4)Compressive strength: 50kg



BucketBX0001

- Specifications and Details:
- 1)Material: PP
 - 2)Capacity: 20L
 - 3)Size: 26 × 30 × 36cm
 - 4)Color: black, red, white



Cars leakageCA0002

- Specifications and Details:
- 1)Material: PP new material
 - 2)Weight: 0.35kg
 - 3)Large: diameter 26CM,height 9.5cm
 - 4)Small: diameter 23.5CM,height 9.5cm
 - 5)Color: red, black, blue, yellow



Separation netCA0003

- Specifications and Details:
- 1)Material: PP new material
 - 2)Large: diameter 26CM,height 9.5cm
 - 3)Small: diameter 23.5CM,height 9.5cm
 - 4)Color: red, black, blue, yellow



Watering can holderBW0001

- Specifications and Details:
- 1)Material: iron spray
 - 2)Specification: 5 places
 - 3)Length: 60cm
 - 4)Color: black, red edge



Watering can hang leverBW0002

- Specifications and Details:
- 1)Material: aviation aluminum
 - 2)Size: length 600mm
 - 3)Rod diameter: 140mm

Moving stools



Two-step folding stool car wash stoolBY0002

- Specifications and Details:
- 1)Color: red black, yellow gray

2)Material: PP+PET

3)Size: 73×44×54cm



Car Detailing CreeperBY0003

- Specifications and Details:
- 1)Material: metal + plastic +PE

2)Bearing: 200 kg

3)Size: 57×31×33cm

4)Weight: 5.53kg



Car benchBY0006

- Specifications and Details:
- 1)Seat PVC leather, sponge, EPE, MDF, non-woven fabric

2)Size: $\phi 30 \times 4.5$ cm

3)Tool board: PP

4)Metal plate thickness: 1.8 mm

5)PP rolling size: 2.5" $\times$ 5 pcs

6)PDia metal plate thickness: 38 cm

7)Load capacity: 120 kg (360 ° rotation)

8)Gas spring: 13 cm (seat: 44.5 ~ 57.5 cm)



Car detailing TrolleyBZ0003

- Specifications and Details:
- 1)2 bucket gauge: 34.5 $\times$ 26 $\times$ 37 cm

2)Trolley box gauge: 76.5 $\times$ 44 $\times$ 21.5 cm

3)Accessories: 2 hanging bucket, 4 open clips, 2 small hooks, 2 large hooks.



Car wash bucket baseBZ0004

- Specifications and Details:
- 1)Size: 47×13×11 cm

2)Weight: 3kg

3)Material: PP

Working lights



Polished trap lamp	BO0001
Specifications and Details:	
1)The light bulb: COB	
2)Power: 30 w	
3)Running time: 2-4 hours	
4)Charging time: 4 hours	
5)Battery: 2×18650 USB charging 4400mah	
6)Material: ABS aluminum alloy	
7)Weight: 364 g	
8)Function: wall suction (with magnet), wall hanging (can rotate 360 degrees)	



Look into the head lamp	BO0011
Specifications and Details:	
1)Bulb: P50 + XPE red light	
2)Power: 50 w	
3)Function: main light strong - medium - weak - flash Battery compartment red light strong - weak - flash	
4)Cord length: 3.0M 2×1.0MM2 with EU plug.	
5)Battery: 3 ×18650	
6)Material: Aluminum alloy	
7)Color: Black	
8)Weight: 260g (excluding packing)	



Portable charging projector lamp	BO0003
Specifications and Details:	
1)Light bulb: 24 patch bulbs	
2)Running time: 2- 4h	
3)Material: Aluminum alloy	
4)Weight: 750 g	
5)Battery: 3 × 18650	
6)Features: strong - weak - red and blue flash	



Moving lamp	BO0014
Specifications and Details:	
1)The light bulb: COB + 3030	
2)Power: 6 w + 5 w	
3)Material: Aluminum alloy	
4)Product weight: 139g	
5)size: no extension 16 × 3.2cm extension 31.7 × 3.2cm	
6)Battery: 1×18650 USB charging	
7)Function: Main light (strong + weak) overhead light, long press (red light + red flash)	
8)Note: adjustable up and down, with magnet color box size: 95×182×36	



Solar wall lamp	BO0009
Specifications and Details:	
1)Output voltage: 4.2V	
2)Battery: 18650×2 3000mAh	
3)Solar panel input voltage: 5.5W	
4)Running time: steady on for about 2 hours; Human body induction 12 hours	
5)Product functions: the first mode: human body induction, strong light for about 25 seconds the second mode:human body induction, light dimming conversion strong light for 25 seconds the third mode:the weak light is steady on	
6)Application: indoor and outdoor human body induction, people to light.	
7)Material: ABS + PS	
8)Product size: 351×40×334mm(unfolded size)	
9)Weight: 809 g (not including packaging)	

Tool bags



Canvas bag for polisher

AE0002

Specifications and Details:

- 1)Material: canvas
- 2)Size: 49 × 23 × 25.5cm



Tool kit

AE0010

Specifications and Details:

- 1)A quality bag sized to be able to transport all the above items.



Tool Storage bag

AE0016

Specifications and Details:

- 1)Size: 50 × 26 × 32cm
- 2)Material: Oxford cloth




Tool Storage bag

AE0017


Specifications and Details:

- 1)Size: 32 × 16 × 24cm
- 2)Material: Oxford cloth + EPE


Interlocking floor grilles



Stitching grille	LA0005
Specifications and Details:	
1)Specification: 4 × 40 × 40cm	
2)Weight: 640g	



Stitching grille	LA0009
Specifications and Details:	
1)60 cm × 60 cm square hole	
2)The thickness of 30 mm and 26 mm aperture	
3)Weight: 1.8 KG	
4)Packing: packed in cartons (60 × 60 × 60)	
5)Volume: 0.24 (20)/box	



Stitching grille	LA0014
Specifications and Details:	
1)20 cm × 20 cm the plum blossom	
2)30 mm thickness,Aperture plum	
3)Weight: 0.36 KG	
4)Packing: carton (40 × 40 × 60)	
5)Volume: 0.11 (84)/box	

NINGBO ANSIAUTO IND CO.,LTD.

ROOM 508 Mingzhou Business Building NO.289

Jiangnan Road Yinzhou District Ningbo Zhejiang China

Mobile: +86 18106658909

Website: www.ansiauto.com

E-MAIL: sharon@ansiauto.com